



1600 South Second Street
 Mount Vernon, WA 98273-5202
 ph 360.428.1617
 tel 800.622.4627
 fax 360.428.1620
 www.nwcleanair.org

New Source Review Application for Removal of Stage II Equipment

To construct, install, establish or alter an air contaminant source and/or control facility

SOURCE
 NAME: _____
 CONTACT PERSON: _____
 TELEPHONE # (____) _____

APPLICANT'S NAME: _____
 SIGNATURE: _____
 TITLE: _____
 DATE: ____/____/____

LOCATION OF ACTIVITY

PHYSICAL ADDRESS:

 CITY _____ STATE _____ ZIP _____
 TELEPHONE # (____) _____
 MAILING ADDRESS (if different than above):

 CITY _____ STATE _____ ZIP _____

TYPE OF PROCESS: Removal of stage II vapor control equipment as allowed under WAC 173-491

PROJECTED COMPLETION DATE: _____

Does the facility meet the criteria in WAC 173-491-040 (5)(b) and (c) allowing for the removal of Stage II vapor recovery equipment?

YES _____ NO _____

The following must accompany this application:

- All NSR fees in accordance with NWCAA 324.2.
- A completed SEPA checklist
- A Gasoline Station Throughput Report for the most recent calendar year.

OFFICE USE ONLY

DATE

APPLICATION RECEIVED ____/____/____

APPROVAL ISSUED ____/____/____

REGISTRATION # _____

N.O.C. # _____

NOC fee received YES _____ NO _____

Receipt Number _____

Date Received ____/____/____

WAC 173-491-040 Gasoline vapor control requirements (abridged)

(5) Gasoline dispensing facilities (Stage II).

(b) Upon approval of a notice of construction under subsection (4)(e) of this section, Stage II is not required and may be removed from any gasoline dispensing facilities located in Whatcom, Skagit, Island, Lewis, and Wahkiakum counties, and from any gasoline dispensing facility located in Thurston and Cowlitz counties dispensing less than one million two hundred thousand gallons annually.

(c) In addition to subsection (5)(a) of this section, all new and modified gasoline dispensing facilities with an annual gasoline throughput of 1.5 million gallons and above are required to have Stage II gasoline vapor recovery systems if a lot with a permanent residence is within the distance and throughput specifications of Table 1 of this subsection, and as explained in (c)(i) and (ii) of this subsection.

Gasoline Throughput (millions of gallons)	Allowable Distance to the Property Line (meters)
1.5	20
2.0	25
4.0	38
6.0	49
8.0	58
10.0	66

- (i) When the throughput is not shown in the chart, interpolate to get the distance for that throughput.
- (ii) The allowable distance shall be measured from the centroid of the pumps to the nearest point on the property line of the nearest lot on which a permanent residence is located. However, if the permanent residence is located at least twice the allowable distance from the centroid of the pumps, the requirements of (c) of this subsection shall not apply.



1600 South Second Street
Mount Vernon, WA 98273-5202
ph 360.428.1617
tel 800.622.4627
fax 360.428.1620
www.nwcleanair.org

Gasoline Station Throughput Report

Gasoline Station Name: _____

Physical Street Address: _____

City/County: _____

*Gasoline Throughput: _____
(gallons of gasoline pumped between January 1 and December 31 of the previous calendar year)

Calendar Year of Gasoline Throughput: _____

I hereby certify that, to the best of my knowledge, the gasoline throughput information stated herein is true and accurate.

Signature: _____

Print Name and Title: _____

** Individual Gasoline Station throughput information is be kept confidential by the Northwest Clean Air Agency*